This document provides a summary of the water right data in the default judgment for this subfile as well as any amendments and corrections to the default judgment. In the event there is a discrepancy between a description of water rights set forth in this document and the specific Court order that determines that right, the specific Court order is controlling.

Subfile No.: 21.27.30.2-I7

Court No.: CV-WH-03-1023

CID Assessment Number: 202-06-00-00-01

Date of Filing of Default Judgment: January 12, 2007

Defendants: FRANK J. GOMEZ VERONICA GOMEZ

A. IRRIGATED LANDS (Surface Water Only):

a. Office of the State Engineer File No(s): 6

b. Priority:

Surface Water Right: Carlsbad Irrigation District Main Canal: As set forth in Part B of this Appendix.

c. Source:

Surface waters of the Pecos River Stream System.

d. Purpose of Use:

For irrigation, and for domestic and livestock watering uses incidental to irrigation use.

e. Point(s) of Diversion:

Ditch Name: Carlsbad Irrigation District Main Canal Location: As set forth in Part G of this Appendix

f. Location and Amount of Irrigated Acreage:

Section 30, Township 21S, Range 27E, N.M.P.M.

Pt. NE¹/₄

0.46 acres

Total: 0.46 acres

As shown on the attached revised Hydrographic Survey Map for Subfile No. 21.27.30.2-I7, and the CID Section Hydrographic Survey Map Sheet No. 39 (1999-2011), included in Part F of this Appendix, representing the Court record as of the date of the filing of this Decree.

g. Amount of Water:

As set forth in Part B of this Appendix.



Legend ◎ Point of Diversion → Canals / Ditches Tract Boundaries	2009 Digital Orthophotography Grid Interval = 1000 Scale 1 " = 150 '		STATE OF NEW MEXICO Office of the State Engineer John R. D'Antonio, Jr., P.E., State Engineer	Frank J. & Veronica Gomez Subfile 21.27.30.2-I7
Surface Water Only	Scale $I = 150$	\otimes	Pecos River Stream System	1/5/2011
Supplemental Groundwater	1:1,800		Carlsbad Irrigation District	Street Contraction
Reservoir / Pond	100 50 0 100		Hydrographic Survey	
No Right	Feet		Township 21 D.D.	Interfole Striam Commission PAE