This document provides a summary of the water right data in the original consent order for this subfile as well as any amendments and corrections to the consent order. In the event there is a discrepancy between a description of water rights set forth in this document and the specific Court order that determines that right, the specific Court order is controlling.

Subfile No.: 21.27.32-K1

Court No.: CV-WH-03-1174

CID Assessment Number: 064-05-00-01, 064-06-00-01, 264-01-00-00-01, 301-17-00-00-01

Date of Filing of Original Consent Order: February 08, 2008

Defendants: CITY OF CARLSBAD

A. IRRIGATED LANDS (Surface Water Only):

a. Office of the State Engineer File No(s): 6

b. Priority:

Surface Water Right: Carlsbad Irrigation District Main Canal: As set forth in Part B of this Appendix.

c. Source:

Surface waters of the Pecos River Stream System.

d. Purpose of Use:

For irrigation, and for domestic and livestock watering uses incidental to irrigation use.

e. **Point**(s) of Diversion:

Ditch Name: Carlsbad Irrigation District Main Canal Location: As set forth in Part G of this Appendix

f. Location and Amount of Irrigated Acreage:

Section 32, Township 21S, Range 27E, N.M.P.M.

Pt. SW¹/₄

62.50 acres

Total: 62.50 acres

As shown on the attached revised Hydrographic Survey Map for Subfile No. 21.27.32-K1, and the CID Section Hydrographic Survey Map Sheet No. 47 (1999-2011), included in Part F of this Appendix, representing the Court record as of the date of the filing of this Decree.

g. Amount of Water:

As set forth in Part B of this Appendix.



Legend 2009 Digital Orthophotography STATE OF NEW MEXICO City of Carlsbad \bigcirc Point of Diversion Subfile 21.27.32-K1 Office of the State Engineer Grid Interval = 1000 John R. D'Antonio, Jr., P.E., State Engineer 1/19/2011 **Tract Boundaries** Scale 1 " = 600 ' ⇔ Surface Water Only Pecos River Stream System 1:7,200 Supplemental Groundwater Carlsbad Irrigation District Reservoir / Pond Hydrographic Survey 10050 0 100 200 300 400 500 600 700 No Right Township 21 D.D.

PAE