This document provides a summary of the water right data in the original consent order for this subfile as well as any amendments and corrections to the consent order. In the event there is a discrepancy between a description of water rights set forth in this document and the specific Court order that determines that right, the specific Court order is controlling.

Subfile No.: 22.27.34-H

Court No.: CV-WH-03-481

CID Assessment Number: 164-01-00-00-01

Date of Filing of Original Consent Order: October 11, 2007

Defendants: ANTONIO B. GONZALEZ JUANITA GONZALEZ OFELIA GONZALEZ SANTIAGO GONZALEZ

A. IRRIGATED LANDS (Surface Water Only):

a. Office of the State Engineer File No(s): 6

b. Priority:

Surface Water Right: Carlsbad Irrigation District Main Canal: As set forth in Part B of this Appendix.

c. Source:

Surface waters of the Pecos River Stream System.

d. Purpose of Use:

For irrigation, and for domestic, and livestock watering uses incidental to irrigation use.

e. Point(s) of Diversion:

Ditch Name: Carlsbad Irrigation District Main Canal Location: As set forth in Part G of this Appendix

f. Location and Amount of Irrigated Acreage:

Section 34, Township 22S, Range 27E, N.M.P.M.

Pt. SW1/4

14.30 acres

Total: 14.30 acres

As shown on the attached revised Hydrographic Survey Map for Subfile No. 22.27.34-H, and the CID Section Hydrographic Survey Map Sheet No. 33 (1999-2011), included in Part F of this Appendix, representing the Court record as of the date of the filing of this Decree.

g. Amount of Water:

As set forth in Part B of this Appendix.



					1
Leg	jend Point of Diversion	2009 Digital Orthophotography		STATE OF NEW MEXICO	Antonio B, Juanita A., Ofelia, & Santiago
	Canals / Ditches	Grid Interval = 1000		Office of the State Engineer	Gonzalez
Tra	ct Boundaries	Scale 1 " = 300 '	1	John R. D'Antonio, Jr., P.E., State Engineer	Subfile 22.27.34-H
	Surface Water Only		₿	Pecos River Stream System	8/10/2011
	Supplemental Groundwater	1:3,600		Carlsbad Irrigation District	ate of the State Change
	Reservoir / Pond	75 37.5 0 75 150 225 300 375		Hydrographic Survey	
	No Right		eet	Township 22 D.D.	Firstiele Streem Commission PAE